Shiodome City Center, 1-5-2, Higashi-Shimbashi Minato-ku, Tokyo 105-7117

EXCEREX 30200B(T) Data Sheet Low-Molecular-Weight Polyolefins

Physical properties

Item	Unit	Testing Method	Typical Value
Molecular Weight	-	Viscometric Method	2,900
Density	kg/m3	JIS K6760	913
Acid Value	KOH mg/g	JIS K5902	-
Crystallinity	%	X-ray Diffractometry	-
Melting Point	°C	DSC	102
Softening Point	°C	JIS K2207	105
Hardness (Penetration Test)	10-1mm	JIS K2207	6
Melt Viscosity	mPa·s cp	Brookfield Type Viscometer(140°C)	265

Notes: These values are not specified.

The information contained herein is, to the best of our knowledge, accurate and reliable. However, since the actual conditions of use(s) of our products are beyond our control, IT IS THE USER'S RESPONSIBILITY TO ASSUME ALL RISKS OF SUCH USE(S) FOR SPECIFIC APPLICATIONS. Mitsui Chemicals makes no guarantees of results and assumes no liability in connection with its recommendations or suggestions. Nothing contained herein shall be construed as a re commendation for use in violation of any patents or of applicable laws and regulations. SAMPLES ARE PROVIDED WITHOUT ANY WARRANTIES, EXPRESSED OR IMPLIED.